ELSEVIER

**Protein Structure & Molecular Enzymology**

Vol. 1382, 1998

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

# Cumulative Contents

*BBA is cited in: Current Contents / Life Sciences - Biological Abstracts - Chemical Abstracts - Index Chemicus - Index Medicus / MEDLINE - Cambridge Scientific Abstracts (CSA) - Excerpta Medica (EMBASE) - Reference Update - Current Awareness in Biological Sciences (CABS)*

*Information for Contributors* vii

## *Rapid reports*

Investigation of the potential active site of a cyanide dihydratase using site-directed mutagenesis
*A. Watanabe, K. Yano, K. Ikebukuro and I. Karube (Japan)* 1

Domain organisation in phosphomannose isomerases (types I and II)
*S.O. Jensen and P.R. Reeves (Australia)* 5

The use of multiwavelength kinetic analysis approach to identify and characterize intermediate complexes in the reductive amination reaction catalyzed by bovine liver glutamate dehydrogenase
*S.K. Saha, S.J. Maniscalco and H.F. Fisher (USA)* 8

## *Short sequence-papers*

Identification of a novel family of non-lysosomal aspartic proteases in nematodes
*A. Jolodar and D.J. Miller (Australia)* 13

cDNA cloning of bovine thrombospondin 1 and its expression in odontoblasts and predentin
*A. Ueno, K. Yamashita, T. Nagata, C. Tsurumi, Y. Miwa, S. Kitamura and H. Inoue (Japan)* 17

## *Regular papers*

Roles of conserved residues in the arginase family
*J. Perozich, J. Hempel and S.M. Morris Jr. (USA)* 23

Clinical inhibitor-resistant mutants of the β-lactamase TEM-1 at amino-acid position 69. Kinetic analysis and molecular modelling
*E.B. Chaibi, J. Péduzzi, S. Farzaneh, M. Barthélémy, D. Sirot and R. Labia (France)* 38

Expression and characterization of recombinant pyruvate phosphate dikinase from *Entamoeba histolytica*
*E. Saavedra-Lira, L. Ramirez-Silva and R. Perez-Montfort (Mexico)* 47

Prorenin processing and restricted endoproteolysis by mouse tissue kallikrein family enzymes (mK1, mK9, mK13, and mK22)
*Y. Kikkawa, N. Yamanaka, J. Tada, N. Kanamori, K. Tsumura and K. Hosoi (Japan)* 55

Protein kinase activities in ripening mango, *Mangifera indica* L., fruit tissue. I: Purification and characterization of a calcium-stimulated casein kinase-I
*L. Frylinck and I.A. Dubery (South Africa)* 65

Two hevein homologs isolated from the seed of *Pharbitis nil L.* exhibit potent antifungal activity
*J.C. Koo, S.Y. Lee, H.J. Chun, Y.H. Cheong, J.S. Choi, S.-i. Kawabata, M. Miyagi, S. Tsunasawa, K.S. Ha, D.W. Bae, C.-d. Han, B.L. Lee and M.J. Cho (South Korea, Japan)* 80

Identification of residues in the Gla-domain of human factor IX involved in the binding to conformation specific antibodies
*E.G.C. Wojcik, W.-F. Cheung, M. Van den Berg, I.K. Van der Linden, D.W. Stafford and R.M. Bertina (The Netherlands, USA)* 91

Understanding the molecular mechanism of viral resistance to peptidomimetic inhibitors of ribonucleotide reductase
*P.W. White (Canada)* 102

Fatty acylation of polypeptides in the nematode *Caenorhabditis elegans*
*R.A. Aspbury, M.J. Fisher and H.H. Rees (UK)* 111

Rhodanese folding is controlled by the partitioning of its folding intermediates
*B.M. Gorovits, W.A. McGee and P.M. Horowitz (USA)* 120

$^{1}H$ and $^{13}C$ NMR studies of a truncated heme domain from *Chlorella vulgaris* nitrate reductase: signal assignment of the heme moiety
*X. Wei, L.-J. Ming, A.C. Cannons and L.P. Solomonson (USA)* 129

Identification of the catalytic residue of human short/branched chain acyl-CoA dehydrogenase by in vitro mutagenesis
*B. Binzak, J. Willard and J. Vockley (USA)* 137

Stoichiometry and heterogeneity of the pro-region chain in tetrameric human cathepsin C
*B. Cigić, I. Križaj, B. Kralj, V. Turk and R.H. Pain (Slovenia)* 143

Reduction of protein volume and compressibility by macromolecular cosolvents: dependence on the cosolvent molecular weight
*A. Almagor, A. Priev, G. Barshtein, B. Gavish and S. Yedgar (Israel)* 151

Stopped-flow analysis of the refolding of hen egg white riboflavin binding protein in its native and dephosphorylated forms
*D.A. McClelland and N.C. Price (UK)* 157

A yeast mutant lacking thiol-dependent protector protein is hypersensitive to menadione
*S.M. Lee and J.-W. Park (South Korea)* 167

## *Erratum*

Erratum to "Detection and identification of NAD-catabolizing activities in rat tissue homogenates". [Biochim. Biophys. Acta 1340 (1997) 7–12]
*T. Hagen and M. Ziegler (Germany)* 176

*Information for Contributors* *vii*

## *Short sequence-papers*

Cloning and sequencing of cDNA encoding the LS-12 antifreeze protein in the longhorn sculpin, *Myoxocephalus octodecimspinosis*
*Z. Zhao, G. Deng, Q. Lui and R.A. Laursen (USA)* 177

Purification and molecular cloning of a chitinase expressed in the hepatopancreas of the penaeid prawn *Penaeus japonicus*
*T. Watanabe, M. Kono, K. Aida and H. Nagasawa (Japan)* 181

Thermostable glycerol kinase from *Thermus flavus*: cloning, sequencing, and expression of the enzyme gene
*H.-S. Huang, T. Kabashima, K. Ito, C.-H. Yin, Y. Nishiya, Y. Kawamura and T. Yoshimoto (Japan)* 186

## *Review*

The structural aspects of limited proteolysis of native proteins
*S.J. Hubbard (UK)* 191

## *Regular papers*

A novel thermostable neutral proteinase from *Saccharomonospora canescens*
*P. Dolashka, D.N. Georgieva, S. Stoeva, N. Genov, R. Rachev, A. Gusterova and W. Voelter (Bulgaria, Germany)* 207

Oligomeric structure of hepatic lipase: evidence from a novel epitope tag technique
*D.E. Berryman, J.J. Mulero, L.B. Hughes, D.L. Brasaemle and A. Bensadoun (USA)* 217

Identification and characterization of receptors for riboflavin carrier protein in the chicken oocyte. Role of the phosphopeptide in mediating receptor interaction
*Sooryanarayana, S. Sarkar, P.R. Adiga and S.S. Visweswariah (India)* 230

Characterization of the monovalent and divalent cation requirements for the xenobiotic carboxylic acid: CoA ligases of bovine liver mitochondria
*D.A. Vessey and M. Kelley (USA)* 243

The monolayer technique as a tool to study the energetics of protein–protein interactions
*P. Lavigne, P. Tancrède and F. Lamarche (Canada, Canada)* 249

Measurement of peptide aggregation with pulsed-field gradient nuclear magnetic resonance spectroscopy
*S.L. Mansfield, D.A. Jayawickrama, J.S. Timmons and C.K. Larive (USA)* 257

Interactions of serine proteinases with pNiXa, a serpin of *Xenopus* oocytes and embryos
*J. Kotyza, A.H. Varghese, G. Korza and F.W. Sunderman Jr. (USA)* 266

Crystal structures of 5-fluoro-dUrd and its 2 and/or 4-thio analogues: models of substituted dUMP pyrimidine ring interacting with thymidylate synthase
*A. Jarmuła, R. Anulewicz, A. Leś, M.K. Cyrański, L. Adamowicz, M. Bretner, K. Felczak, T. Kulikowski, T.M. Krygowski and W. Rode (Poland, USA)* 277

Identification of CYP2E1 in marmoset monkey
*T.G. Schulz, R. Thiel, D.S. Davies and R.J. Edwards (UK, Germany)* 287

Structure/function analysis of the domains required for the multimerisation of phenylalanine hydroxylase
*S.E. Hufton, I.G. Jennings and R.G.H. Cotton (Australia)* 295

Albumin Church Bay: 560 Lys → Glu a new mutation detected by electrospray ionisation mass spectrometry
*E.K.M. Chua, S.O. Brennan and P.M. George (New Zealand)* 305

Novel lectin-related proteins are major components in Lima bean (*Phaseolus lunatus* L.) seeds
*F. Sparvoli, A. Gallo, D. Marinelli, A. Santucci and R. Bollini (Italy)* 311

A stable, molten-globule-like cytochrome *c*
*P. Wittung-Stafshede (USA)* 324

Studies on the urea cycle enzyme ornithine transcarbamylase using heavy atom isotope effects
*L.E. Parmentier and J. Smith Kristensen (USA)* 333

6-Tetrahydrobiopterin functions as a UVB-light switch for de novo melanogenesis
*K.U. Schallreuter, J.M. Wood, C. Körner, K.M. Harle, V. Schulz-Douglas and E.R. Werner (UK, Germany, Austria)* 339

Cooperativity between trimers of the hexameric glutamate dehydrogenase from *Clostridium symbiosum*
*L.A. Basso, P.C. Engel and A.R. Walmsley (USA, Ireland, UK)* 345

*Cumulative Contents, Vol. 1382* 351

*Author Index* 354